

BLUEMOON SMOKE SHOP

SIGN
1

BLUEMOON SMOKE SHOP

Total
Square
Feet

13

SIGN
2

BLUEMOON
SMOKE
SHOP

4.6

BLUEMOON
SMOKE SHOP

Address 138 Charles St.

City Boston

State MA 02114

Account Representative:
Ricky Zeng

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by New CC Sign & Storefront.

Notes

- *
- *
- *
- *
- *

Designer RZ

Design #

Original Date 02/27/2021

Revision Date

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards



- * All electrical components shall be U.L. Listed.
- * Sign shall be grounded per N.E.C. Article 250.
- * Insulated conductors as per N.E.C. Code 310.8 type to be used - metallic insulated sealite.
- * Disconnect switch as per N.E.C. Code 600.6.

sign & storefront

The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.

SIGN
2

SIGN
1



Wall Sign - Aluminum Panel with 3/4" PVC Letter sign

SIGN 1




	A	B	C
SIGN 1	156"	12"	8"

Specifications:


- * 040 matt black aluminum panel w/ Welded 1"x1" Galvanized tubing frame.
- * 3/4" PVC lettering (print the color : gold)
- * Letter to be mounted on the panel.

Sign installed in location shown on attached photo



Blade Sign - 3/4" PVC Board with 3/4" PVC Letter sign:

SIGN 2




	A	B	C	D
SIGN 2	28"	24"	2.36"	4.50"

Specifications:

- * 3/4" PVC Board (print the color: Black)
- * 3/4" PVC lettering (print the color : gold)
- * Letter to be mounted on the panel.

Sign installed in location shown on attached photo

side view:



BLUEMOON
SMOKE SHOP

Address **138 Charles St.**

City **Boston**

State **MA 02114**

Account Representative:
Ricky Zeng

This design and engineering is submitted as our proposal, and the right to use or exhibit in any form, is not authorized without written permission by New CC Sign & Storefront.

Notes

- *
- *
- *
- *
- *

Designer **RZ**

Design #

Original Date **02/27/2021**

Revision Date

All electrical scope to be completed in a U.L. approved method and shall meet current N.E.C. standards



- * All electrical components shall be U.L. Listed.
- * Sign shall be grounded per N.E.C. Article 250.
- * Insulated conductors as per N.E.C. Code 310.8. type to be used - metallic insulated sealite.
- * Disconnect switch as per N.E.C. Code 600.6.

sign & storefront

The purchaser agrees to hold the seller harmless against any cause for action for damages which may occur as a result of drilling for piers and foundations, including but not limited to sewer, gas lines or any underground obstacles which the purchaser or others may deem valuable.

EXISTING



PROPOSED

