



43 BOWDOIN ST

Existing Facade

43 Bowdoin St, Boston MA


43 Bowdoin Street

Boston Landmarks Commission

12/12/25


PROJECT DESCRIPTION:
THE PROPOSED WORK IS TO ADD AN AIR INTAKE VENT
IN THE EXTERIOR ENTRY ALCOVE, TO SERVE THE
BUILDING MECHANICAL ROOM WHICH CURRENTLY
LACKS MAKEUP AIR. DUE TO VERY LOW CEILINGS AND
OBSTRUCTIONS BY STRUCTURE AND MEP SYSTEMS,
THE REAR FACADE IS NOT VIABLE





Views of Existing Entry Alcove
43 Bowdoin St, Boston MA

INTERIOR
CEILING LINE



784a Tremont Street Boston MA 02118 617 607 4589 bloomarchitecture.com

BLOOM
ARCHITECTURE

THE PROPOSED WORK IS TO ADD A 6"X6" AIR INTAKE VENT TO SERVE THE BUILDING MECHANICAL ROOM WHICH CURRENTLY LACKS MAKEUP AIR. DUE TO VERY LOW CEILINGS AND OBSTRUCTIONS BY STRUCTURE AND MEP SYSTEMS, THE REAR FACADE IS NOT VIABLE.

THE GRILLE WILL BE PAINTED TO MATCH EXISTING WOOD PANELING TO REDUCE VISIBILITY



Views of Proposed Entry Alcove
43 Bowdoin St, Boston MA